(place patient label here) Patient Name: Order Set Directions: > (√)- Check orders to activate; Orders with pre-checked box ☑ will be followed unless lined or > Initial each place in the pre-printed order set where changes such as additions, deletions or I > Initial each page and Sign/Date/Time last page	
Diagnosis:	
Allergies with reaction type:	
ICU Extubation	Version 1 5/29/14
Nursing Orders ☑ Incentive spirometry cough and deep breathing every 2 ho	ours while awake for 48 hours after extubation
Respiratory	lo
Medications Bronchodilators: Nebulized albuterol-ipratropium 2.5 mg-0.5 mg/3 mL soln for inhalat □ 3 milliliter by nebulizer every 4 hours ☑ 3 milliliter by nebulizer every 4 hours, while awake albuterol 2.5 mg/0.5 mL neb solution (VENTOLIN) □ 2.5 milligram by nebulizer every 4 hours □ 2.5 milligram by nebulizer every 4 hours, while awake ☑ 2.5 milligram by nebulizer every 4 hours, while awake ☑ 2.5 milligram by nebulizer every 2 hours as needed to ipratropium 0.5 mg/2.5 ml neb solution (ATROVENT) □ 0.5 milligram by nebulizer every 4 hours □ 0.5 milligram by nebulizer every 4 hours, while awaken hours □ 0.5 milligram by nebulizer every 4 hours, while awaken hours	te For shortness of breath or wheezing