Allergies with reaction type:\_

### 

Date of Procedure: \_

## \*\*\*Obtain the Written Authorization for Ordered Procedure\*\*\*

- □ Anoscopy
- □ Colonoscopy
- Colonoscopy through colostomy
- □ Colonoscopy with fecal microbiotic transplant
- □ Rectal Ultrasound
- □ Rectal Ultrasound with fine needle aspiration
- $\hfill\square$  Rectal Ultrasound with fine needle biopsy
- □ Flexible Sigmoidoscopy
- □ Flexible Sigmoidoscopy with dilatation
- □ Flexible Sigmoidoscopy with foreign body removal
- □ Jejunal Pouch Endoscopy: Additional information: \_\_\_\_

#### **Nursing Orders**

- □ Initiate pre-operative anesthesia protocol if having general anesthesia
- $\hfill\square$  Point-of-care capillary blood glucose upon admission

## IV/ Line Insert and/or Maintain

 $\hfill\square$  Peripheral IV insert/maintain, avoid antecubital site

## **IV** Fluids

Sodium Chloride 0.9% IV

milliliter/hour continuous intravenous infusion

- Dextrose 5% and 0.45% Sodium Chloride IV
  - □ \_\_\_\_ milliliter/hour continuous intravenous infusion
- IV Fluid-Maintenance
  - □ Fluid: \_\_\_\_\_ Additive: \_\_\_\_\_
    - Rate:

Duration (If rate not selected): \_\_\_\_\_

## Diet

NPO (diet) [ ] Enter Time: \_\_\_\_ [ ] Midnight [ ] Now
 NPO Modifications: [ ] Except Meds [ ] Strict [ ] With Ice Chips [ ] With Sips

Initials\_

Patient Name: \_\_\_\_\_

#### Order Set Directions:





- > ( $\sqrt{}$ )- Check orders to activate; Orders with pre-checked box  $\boxtimes$  will be followed unless lined out.
- Initial each place in the pre-printed order set where changes such as additions, deletions or line outs have been made
  Initial each page and Sign/Date/Time last page

### **Medications**

\*For a comprehensive procedure list please see the Pre-Operative Antibiotic Prophylaxis Guidelines

- □ INITIATE Surgical Antibiotic Prophylaxis Protocol
- □ No Prophylaxis Antibiotic
- Other:\_\_\_\_\_

# **Bowel Preps**

GOLYTELY

□ 240 milliliter orally every 10 minutes until 2 liters are consumed; administer the day before colonoscopy polyethylene glycol 3350 (MIRALAX)

□ 238 gram in 32 ounces of lemon-lime Gatorade orally once over 4 hours

FLEET Enema

□ 2 enema rectally once

- bisacodyl (DULCOLAX)
  - □ 20 milligram orally once

## Additional Medication

□ Other:\_\_\_\_\_

Date:\_\_\_\_\_Time:\_\_\_\_\_